


ILLUSTRATED PARTS

AMERICAN  AMERICAN
M A D E O W N E D
OUTDOOR POWER EQUIPMENT



1994


SELF-PROPELLED MOWERS

| Model Number | Pages |
|------------------------------------|-------|
| 124-137C000 thru 124-138F000 | 2-4 |
| 124-146D000 and 124-148N000 | 5-7 |
| 124-147B000 | 8-10 |

Models 137 and 138

†Optional Hub Caps

| Description | Part No. |
|--------------------|-----------|
| Gray (5-1/2" Dia.) | 731-0981A |
| Gray (3-1/2" Dia.) | 720-0249 |



Models 137 and 138



PARTS LIST FOR MODELS 137 AND 138 ROTARY MOWERS

| REF. NO. | PART NO. | CODE | DESCRIPTION | REF. NO. | PART NO. | CODE | DESCRIPTION |
|----------|------------|------|--|----------|------------|------|--|
| 1 | 720-0225 | | Grip (Optional) | 75 | 750-0624 | | Shld. Spacer .5" Dia. |
| 2 | 647-0004 | | Control Handle w/Plastic | 76 | 751B281191 | | XTE Black Shroud (Optional) |
| | 747-0824 | | Control Handle | | 731-1396 | | Black Shroud (Optional) |
| 3 | 710-1205 | | Rope Guide | 80 | 738-0137 | | Shld. Scr. .342" Dia. x .268 |
| 4 | 720-0279 | | Handle Knob 1/4-20 Thd. | 81 | 748-0188B | | Pawl |
| 5 | 712-0324 | | Hex L-Nut 1/4-20 Thd. | 82 | ** | | Wheel Ass'y. Comp.—Rear |
| 6 | 646-0875 | | Throttle Body | 84 | 741-0486B | | Sleeve Bearing 1/2" I.D. |
| 7 | 720-0276 | | Hand Knob | | | | (Used w/734-1510B Wheel) |
| 8 | 710-0605 | | Oval C-Sunk Scr. | 85 | 710-1256 | | Hi-Lo Scr. #10 x 1.25" Lg. |
| 9 | 745-0876 | | Throttle Lever | 86 | 712-0414 | | Weld Top L-Nut 1/4-20 Thd. |
| 10 | 811-00185 | | Throttle Box Comp. (Incl. Ref. 5, 6, 8, 9, 12) | 95 | 746-0710A | | S.P. Cable—44" Lg. |
| 11 | † | | Hub Cap (See Chart) | 96 | 754-0343 | | "V"—Belt |
| 12 | 736-0501 | | Spr. Wash. .66" I.D. | 98 | 711-0313 | | Sleeve .526" I.D. |
| 14 | 749-0539B | | Upper Handle | 99 | 710-1055 | | Hex Bolt 3/8-24 x 1.0" Lg. |
| 15 | 782-7522 | | Belt Cover | 100 | 712-0241 | | Hex Nut 3/8-24 Thd. |
| 18 | 714-0104 | | Internal Cotter Pin 5/16" Dia. | 101 | 736-0169 | | L-Wash. 3/8" I.D. |
| 19 | 746-0843 | | Throttle Control Wire 55" Lg. | 102 | 682-0023 | N | 21" Deck Ass'y. |
| | | | (138) | 114 | 731-1057 | | Self-Propelled Control Cover |
| | 746-0847 | | Throttle Control Wire 42" Lg. | 115 | 731-1058 | | Self-Propelled Control Cover |
| | | | (137) | 116 | 731-0620 | | Control Lever |
| 27 | 16855 | | Pawl Plate | 118 | 710-0841 | | FI—"C"—Sunk Hd. Tap Scr. #10 x .75" Lg. |
| 31 | 731-1059 | | S.P. Control Cover | 121 | 710-1174 | | Curved Hd. Bolt 5/16-18 x 2" Lg. |
| 32 | 735-0639 | | Spark Plug Insulator | 122 | 711-0805 | | Shld. Pin 1.43" Lg. |
| 35 | 749-0928 | | Lower Handle | 123 | 736-0169 | | L-Wash. 3/8" I.D. |
| 36 | — | | Engine | 125 | 748-0332 | | Crankshaft Spacer (Used w/Splined Adapter) |
| 40 | 751B213146 | N | Cable Clamp (B&S) | | 736-0409 | | Serrated Wash. 1" I.D. (Tec.) |
| 41 | 710-1237 | | Hex Self-Tap Scr. #10-32 x .62" (B&S) | 126 | 736-0450 | | Bell-Wash. 1.01" I.D. (Used w/Splined Adapter) |
| 42 | 682-7513 | | Chain—Axle Ass'y. | | 736-0447 | | Wave Wash. 1" I.D. (Tecumseh) |
| 43 | 710-0352 | | Hex B-Tap Scr. 1/4" x .38" | 127 | 756-0502 | | Pulley Half—2 Req'd. (Used w/Splined Adapter) |
| 44 | 736-0270 | | Bell-Wash. 1/4" I.D. | | | | Hex Jam Nut 3/8-24 Thd.* |
| 45 | 710-0224 | | Hex AB-Tap Scr. 1/4 x .62" | 128 | 712-0711 | | Control Cable—39" (138) |
| 47 | 712-0296 | | Hex Patch L-Nut 3/8-24 Thd. | 129 | 746-0550 | | Control Cable 51" Lg. (137) |
| 48 | 713-0361 | | #48 Chain .500" Pitch x 38 Links | | 746-0737 | | Ratchet Wheel 1.62" O.D. |
| 51 | 731-1483 | N | Rear Flap 4.8" x 17.5" Lg. | 130 | 748-0318 | | Cotter Pin 1/8" Dia. x 1" |
| 52 | 726-0240 | | Cable Tie | 131 | 714-0115 | | Pulley Half (Used w/Keyed Adapter) |
| 55 | 753-0519 | | Blade Adapter Kit (Splined) | 132 | 756-0979 | | Pulley Half (Used w/Keyed Adapter) |
| | 753-0566 | | Blade Adapter Kit (Keyed) | 133 | 756-0962 | | Hex Flange Bearing |
| 56 | 742-0721 | | 21" Mulching Blade | 134 | 741-0522 | | Spr. Wash. .89" I.D. (Used w/Keyed Adapter) |
| 57 | 731-1407 | | Chute Ass'y. | 135 | 736-0513 | | Spring—Nylon |
| 58 | 682-7000 | | Mulching Plug Ass'y. | 136 | 10622B | | FI-Wash. .85" I.D. (Used w/Keyed Adapter) |
| 58 | 736-0453 | | Bell-Wash. .47" I.D. (Used w/Splined Adapter) | 137 | 736-0514 | | Chain Cover Ass'y. |
| | 736-0452 | | Bell-Wash. .39" I.D. (Used w/Keyed Adapter) | 138 | 682-7506 | | Crankshaft Spacer (Used w/Keyed Adapter) |
| 60 | 710-0561 | | Hex Bolt 7/16-20 x 2.5" (Used w/Splined Adapter) | 139 | 748-0358 | | Hex S-Tap Scr. 1/4-20 x .50" |
| | 710-1257 | | Hex Bolt 3/8-24 x 2.5" (Used w/Keyed Adapter) | 140 | 710-0599 | | Rear Shaft Ass'y. 21.44" Lg. |
| 61 | 748-0190 | | Spacer .513" I.D. | 147 | 738-0864 | | Hex Flange Brg. .506" I.D. |
| 63 | 736-0119 | | L-Wash. 5/16" I.D.* | 148 | 741-0324 | | FI-Wash. .531" I.D. x .930" |
| 64 | 682-3006A | | R.H. Handle Wheel Brkt. Ass'y. | 149 | 736-0160 | | Hex Bolt 1/4-20 x .62" Lg. (Grade 5) |
| 65 | 682-3007A | | L.H. Handle Wheel Brkt. Ass'y. | 152 | 710-0751 | | Transmission Comp. (See Breakdown) |
| 66 | 710-0260 | | Carriage Bolt 5/16-18 x .62" | | | | Hex Bearing Cup |
| 67 | 710-0603 | | Hex B-Tap Scr. 5/16-18 | 153 | 717-0417B | | FI-Wash. .385" I.D. x .87" O.D. |
| 68 | 710-0654A | | Hex TT-Tap Scr. 3/8-16 | | | | |
| 69 | 712-0267 | | Hex Nut 5/16-18 Thd.* | 154 | 16500A | | |
| 70 | 720-0223 | | Grip | 155 | 736-0300 | | |
| 71 | 732-0725 | | Height Adj. Lever | | | | |
| 73 | 736-0242 | | Bell-Wash. 5/16" I.D. | | | | |
| 74 | 750-0736 | | Spacer .383" I.D. | | | | |

Models 137 and 138

**FRONT WHEEL CHART

| Size | Tread | Part No. |
|------------|-----------|---------------------------------------|
| 8" x 1.75" | Bar Tread | 634-0020 |
| 8" x 2" | "S" Wave | 734-1512A (Gray— w/o Ball Bearing) |
| 8" x 2" | "S" Wave | 734-1513B (Gray— w/ Ball Bearing) |





PARTS LIST FOR MODELS 137 AND 138 ROTARY MOWERS

| REF. NO. | PART NO. | CODE | DESCRIPTION | REF. NO. | PART NO. | CODE | DESCRIPTION |
|----------|-----------|------|---|----------|-----------|------|---|
| 1 | 710-1062 | | Hex Patch Bolt 1/4-20 x 1.25"† | 35 | 736-0410 | | Hex Washer .26" x .88" |
| 2 | 736-0329 | | L-Wash. 1/4" I.D.* | 36 | 717-0417B | | Transmission Comp. |
| 3 | 717-0418A | | Upper Hsg. Half† | 37 | 738-0102 | | Front Axle Bolt |
| 4 | 713-0400 | | #48 Sprocket 7 T x 1/2 Pitch† | 38 | ** | | Wheel Ass'y. Comp. |
| 5 | 736-0336 | | Fl-Wash. 5/8" I.D. x .030† | 39 | 736-0105 | | Bell-Wash. .380" I.D. x .88 |
| 6 | 741-0413 | | Hex Flange Brg. .631" I.D.† | 40 | 710-1241 | | Hex Wash. Hd. Tap Scr. 1/4-20 x 1" Lg. |
| 7 | 16500A | | Hex Bearing Cup† | 42 | 741-0492A | | Block Bushing |
| 8 | 736-0314 | | Thrust Wash. .382" I.C. x .70" O.D.† | 43 | 17733 | | Axle Ass'y. |
| 9 | 741-0479 | | Thrust Bearing .375" I.D. x .812" O.D.† | 44 | 782-0516 | | Height Adj. Bracket |
| 11 | 717-1216 | | 11 Tooth Pinion Shaft† | 45 | 710-0653 | | Hex TT-Tap Scr. 1/4-20 x .38" |
| 12 | 748-0208A | | Flange Bearing† | 46 | 720-0190 | | Knob |
| 13 | 721-0212 | | Oil Seal† | 47 | 732-0639 | | Spring Lever |
| 15 | 756-0330A | | Fl-Pulley 5.06" O.D. | 48 | 731-1281 | | Plastic Front End |
| 16 | 736-0270 | | Bell-Wash. .265" I.D. x .75" | 49 | 710-0352 | | Hex B-Tap Scr. 1/4" x .38" |
| 17 | 712-0351 | | Hex L-Nut 1/4-28 L.H. Thd. | 50 | 782-7522 | | Belt Cover |
| 18 | 738-0440 | | Shld. Spacer .375" Dia. x .170 | 51 | 710-0599 | | Hex Wash. Hd. TT-Scr. 1/4-20 |
| 19 | 736-0344 | | Fl-Wash. .390" I.D. x 1.0" | 52 | 710-0896 | | Hex Wash. Hd. B-Tap Scr. 1/4 x .62" (Spec.) |
| 20 | 738-0826 | | Shld. Bolt .375" Dia. x .40" | 53 | 712-3027 | | Hex Flange L-Nut 1/4-20 Thd. |
| 21 | 656-0008 | N | Fl-Idler Plastic 1.50" Dia. (Incl. Ref. 22) | 54 | 17058A | | Transmission Belt Guard |
| 22 | 741-0556 | | Needle Brg. .375" x .31 | 55 | 747-0549 | | S.P. Belt Guard |
| 24 | 17052A | | Idler Brk't. Ass'y. | 56 | 710-1242 | | Torx Scr. 5/16 x .75" Lg. |
| 25 | 712-0138 | | Hex Patch L-Nut 1/4-23 Thd. | 57 | 736-0242 | | Bell-Wash. .345" I.D. x .88" |
| 26 | 732-0357A | | Extension Spring 1.12" Lg. | 58 | † | | Hub Cap |
| 27 | 717-0419A | | Lower Hsg. Half† | 59 | 746-0710A | | S.P. Cable 44" Lg. |
| 28 | 741-0415 | | Flange Bearing .566 Dia.† | 60 | 736-0222 | | External L-Wash. 1/4" I.D. |
| 29 | 717-0422A | | 33 Tooth Helical Gear† | 61 | 741-0484 | | Ball Bearing 1/2" I.D. (Used w/734-1513B Wheel) |
| 30 | 741-0414 | | Flange Bearing .629 Dia.† | 62 | 736-0504 | | Wave Wash. .53" I.D. (Used w/Ref. 61) |
| 31 | 721-0213 | | Oil Seal .625 Dia.† | 63 | 710-0167 | | Carriage Bolt .5" Lg. |
| 32 | 738-0607A | | Gear Sprocket Shaft† | 64 | 710-1131 | | Mach. Scr. 1/4-20 x 2" Lg. |
| 33 | 736-0722 | | L-Wash. #10 I.D.† | 65 | 712-0324 | | Hex L-Nut 1/4-20 Thd. |
| 34 | 710-0436 | | Hex B-Tap Scr. #10 x .62"† | | | | |

† Part of Transmission Complete, Ref. No. 36

Models 146 and 148



PARTS LIST FOR MODELS 146 AND 148 ROTARY MOWERS


| REF. NO. | PART NO. | CODE | DESCRIPTION | REF. NO. | PART NO. | CODE | DESCRIPTION |
|----------|-----------|------|---|----------|-----------|------|---|
| 1 | 710-1062 | | Hex Patch Bolt 1/4-20 x 1.25"† | 35 | 736-0410 | | Hex Washer .26" x .88" |
| 2 | 736-0329 | | L-Wash. 1/4" I.D.* | 36 | 717-0417B | | Transmission Comp. |
| 3 | 717-0418A | | Upper Hsg. Half† | 37 | 738-0102 | | Front Axle Bolt |
| 4 | 713-0400 | | #48 Sprocket 7 T x 1/2 Pitch† | 38 | 734-1512A | | Wheel Ass'y. Comp. (Gray Rim) |
| 5 | 736-0336 | | Fl-Wash. 5/8" I.D. x .030† | | 734-1790 | | Wheel Ass'y. Comp. (Yellow Rim) |
| 6 | 741-0413 | | Hex Flange Brg. .631" I.D.† | | 734-1517B | | Wheel Ass'y. Comp. (Beige Rim) |
| 7 | 16500A | | Hex Bearing Cup† | | 736-0504 | | Wave Washer (Used w/Ref. 71) |
| 8 | 736-0314 | | Thrust Wash. .382" I.D. x .70" O.D.† | 39 | 736-0105 | | Bell-Wash. .380" I.D. x .88 |
| 9 | 741-0479 | | Thrust Bearing .375" I.D. x .812" O.D.† | 40 | 710-1241 | | Hex Wash. Hd. Scr. 1/4 x 1" Lg. |
| 11 | 717-1216 | | 11 Tooth Pinion Shaft† | 42 | 741-0492A | | Block Bushing |
| 12 | 748-0208A | | Flange Bearing† | 43 | 17733 | | Axle Ass'y. |
| 13 | 721-0212 | | Oil Seal† | 44 | 782-0516 | | Height Adj. Bracket |
| 15 | 756-0330A | | Fl-Pulley 5.06" O.D. | 45 | 710-0653 | | Hex TT-Tap Scr. 1/4-20 x .38" |
| 16 | 736-0270 | | Bell-Wash. .265" I.D. x .75" | 46 | 720-0190 | | Knob |
| 17 | 712-0351 | | Hex L-Nut 1/4-28 L.H. Thd. | 47 | 732-0639 | | Spring Lever |
| 18 | 738-0440 | | Shld. Spacer .375" Dia. x .170 | 48 | 731-1281 | | Plastic Front End (Black) |
| 19 | 736-0344 | | Fl-Wash. .390" I.D. x 1.0" | | 731-1507 | | Plastic Front End (Yellow) |
| 20 | 738-0826 | | Shld. Bolt .375" Dia. x .40" | 49 | 710-0352 | | Hex B-Tap Scr. 1/4" x .38" |
| 21 | 656-0008 | N | Fl-Idler Plastic 1.50" Dia. (Incl. Ref. 22) | 50 | 782-7558 | | Belt Cover |
| 22 | 741-0556 | | Needle Brg. .375" x .31 | 51 | 710-0599 | | Hex Wash. Hd. TT-Scr. 1/4-20 |
| 24 | 17052A | | Idler Brk't. Ass'y. | 52 | 710-0896 | | Hex Wash. Hd. B-Tap Scr. 1/4 x .62" (Spec.) |
| 25 | 712-0138 | | Hex Patch L-Nut 1/4-28 Thd. | 53 | 712-0287 | | Hex Nut 1/4-20 Thd.* |
| 26 | 732-0357 | | Extension Spring 1.12" Lg. | 54 | 17058A | | Transmission Belt Cover |
| 27 | 717-0419A | | Lower Hsg. Half† | 55 | 747-0549 | | S.P. Belt Guard |
| 28 | 741-0415 | | Flange Bearing .566 Dia.† | 56 | 710-1242 | | Torx Truss Hd. Scr. 5/16 x .75" |
| 29 | 717-0422A | | 33 Tooth Helical Gear† | 57 | 736-0242 | | Bell-Wash. .345" I.D. x .88" |
| 30 | 741-0414 | | Flange Bearing .629 Dia.† | 58 | † | | Hub Cap (See Chart) |
| 31 | 721-0213 | | Oil Seal .625 Dia.† | 59 | 746-0710A | | S.P. Cable |
| 32 | 738-0607A | | Gear Sprocket Shaft† | 60 | 736-0222 | | External L-Wash. 1/4" I.D. |
| 33 | 736-0722 | | L-Wash. #10 I.D.† | 65 | 710-0167 | | Carr. Bolt 1/4-20 x .5" Lg. |
| 34 | 710-0436 | | Hex B-Tap Scr. #10 x .62"† | 67 | 712-3027 | | Hex Flange L-Nut 1/4-20 Thd. |
| | | | | 70 | 736-0329 | | L-Wash. 1/4" I.D.* |
| | | | | 71 | 741-0484 | | Wheel Bearing (Optional) |

†Part of Transmission Complete, Ref. No. 36.

Models 146 and 148

†Optional Hub Caps

| Description | Part No. |
|----------------------|-----------|
| Gray (5-1/2" Dia.) | 731-0981A |
| Beige (5-1/2" Dia.) | 731-0982A |
| Yellow (5-1/2" Dia.) | 731-1426 |
| Gray (3-1/2" Dia.) | 720-0249 |



Optional Grass Catcher Available
Model 190-110-000

Models 146 and 148


PARTS LIST FOR MODELS 146 AND 148 ROTARY MOWERS

| REF. NO. | PART NO. | CODE | DESCRIPTION | REF. NO. | PART NO. | CODE | DESCRIPTION |
|----------|------------|------|--|----------|-----------|------|---------------------------------------|
| 1 | 720-0225 | | Grip (2 Req'd.)** | 58 | 736-0453 | | Bell-Wash. .47" I.D. x 1.14" O.D. |
| 2 | 747-0824 | | Control Handle (Std.) | 59 | 713-0397 | | Gear Insert |
| | 647-0004 | | Control Handle (Deluxe) | 60 | 710-0561 | | Hex Bolt 7/16-20 x 2.5" |
| 3 | 710-1205 | | Rope Guide | 61 | 748-0190 | | Spacer .513" I.D. |
| 4 | 720-0279 | | Handle Knob 1/4-20 Thd. | 62 | 782-7563 | | Bracket—Shift Plate |
| 5 | 736-0501 | | Curved Spring Wash. .66" I.D. | 63 | 710-0841 | | C-Sunk Tap Scr. #10 x .75" Lg. |
| 6 | 746-0843 | | Throttle Wire—55" Lg. | 64 | 682-3006A | | R.H. Handle Wheel Brkt. Ass'y. |
| 7 | 746-0876 | | Throttle Lever | 65 | 682-3007A | | L.H. Handle Wheel Brkt. Ass'y. |
| 8 | 710-0260 | | Carriage Bolt 5/16-18 x .62" Lg. | 66 | 732-0627 | | Shift Lever Spring |
| 9 | 751B281191 | | XTE Engine Shroud (Black)** | 67 | 710-0603 | | Hex B-Tap Scr. 5/16-18 |
| | 731-1396 | | Engine Shroud (Black)** | 68 | 710-0654A | | Hex TT-Tap Scr. 3/8-16 |
| | 731-1402 | | Engine Shroud (Yellow)** | 69 | 712-0267 | | Hex Nut 5/16-18 Thd.* |
| 10 | 710-1256 | | Hi-Lo Screw #10 x 1.25" Lg. | 70 | 720-0223 | | Grip |
| 11 | † | | Hub Cap (See Chart) | 71 | 732-0725 | | Height Adj. Lever |
| 12 | 710-0605 | | Oval C-Sunk Mach. Scr. | 72 | 16864 | | 6 Spd. Rack Cable Brkt. |
| 13 | 646-0875 | N | Throttle Body | 73 | 736-0242 | | Bell-Wash. 5/16" I.D. |
| 14 | 749-0539B | | Upper Handle | 74 | 750-0736 | | Spacer .383" I.D. |
| 15 | 731-0904 | | Upper Control Housing | 75 | 750-0624 | | Shld. Spacer .5" Dia. |
| 16 | 731-1407 | | Side Chute Deflector | 76 | 731-0905 | | Lower Control Housing |
| 17 | 731-1404 | | Mulch Plug | 77 | 731-0906 | | Cable Mounting Cap |
| 18 | 714-0104 | | Internal Cotter Pin 5/16" Dia. | 79 | 710-0653 | | Hex Wash. Hd. Tap Scr. 1/4-20 |
| 20 | 747-0710 | | Hinge Pin | | | | x .38" Lg. |
| 21 | 782-7006 | | Plug Adapter | 80 | 738-0137 | | Shld. Scr. .342" Dia. x .268 |
| 22 | 732-0731 | | Torsion Spring | 81 | 748-0188B | | Pawl |
| 23 | 682-7000 | | Mulch Plug Ass'y. Comp. (Incl. Ref. 17, 20, 21, 22) | 82 | 734-1510B | | Wheel Ass'y. Comp. (Gray Rim) |
| 24 | 736-0270 | | Bell-Wash. .265" I.D. x .75" O.D. | | 734-1791 | | Wheel Ass'y. Comp. (Yellow Rim) |
| 25 | 710-0167 | | Carriage Bolt 1/4-20 x .5" Lg. | | 734-1514B | | Wheel Ass'y. Comp. (Beige Rim) |
| 26 | 17070 | | Adjustable Cable Bracket | | 741-0486B | | Wheel Bearing |
| 27 | 16855 | | Pawl Plate | 86 | 712-0414 | | Weld Top L-Nut 1/4-20 Thd. |
| 28 | 782-7009 | | Chute Stop Bracket | 95 | 746-0710A | | S.P. Cable |
| 29 | 712-0324 | | Hex L-Nut 1/4-20 Thd. | 96 | 754-0343 | | "V"-Belt |
| 30 | 714-0507 | | Cotter Pin 3/32" Dia. x .75" | 98 | 711-0313 | | Sleeve .526" I.D. |
| 31 | 736-0278 | | Fl-Wash. .328" I.D. x .68" | 99 | 710-1055 | | Hex Bolt 3/8-24 x 1.0" Lg. |
| 32 | 735-0639 | | Spark Plug Insulator | 100 | 712-0241 | | Hex Nut 3/8-24 Thd. |
| 33 | 682-7511 | | Lower Pulley Half Ass'y. | 101 | 736-0169 | | L-Wash. 3/8" I.D. |
| 34 | 747-0882 | | Shift Rod | 102 | 682-0023 | N | 21" Deck Ass'y. |
| 35 | 749-0928 | | Lower Handle | 115 | 731-0620 | | Control Lever |
| 36 | — | | Engine—5 H.P. | 121 | 710-1174 | | Curved Hd. Bolt 5/16-18 x 2" Lg. |
| 37 | 682-7514 | | Housing Ass'y. | 122 | 711-0805 | | Shld. Pin 1.43" Lg. |
| 38 | 731-1137 | | Flanged Bushing | 127 | 756-0503 | | Pulley Half—Serrated |
| 40 | 746-0706 | | 6 Spd. Cable | 128 | 712-0711 | | Hex Jam Nut 3/8-24 Thd.* |
| 41 | 731-0924 | | 6 Spd. Shift Lever | 129 | 746-0550 | | Control Cable—39" |
| 42 | 682-7513 | | Chain—Axle Ass'y. | 130 | 748-0318 | | Ratchet Wheel 1.62" O.D. |
| 43 | 710-0352 | | Hex B-Tap Scr. 1/4" x .38" | 131 | 714-0115 | | Cotter Pin 1/8" Dia. x 1" |
| 44 | 736-0270 | | Bell-Wash. 1/4" I.D. | 134 | 741-0522 | | Hex Flange Bearing |
| 47 | 712-0296 | | Hex Patch L-Nut 3/8-24 Thd. | 136 | 10622B | | Spring—Nylon |
| 48 | 713-0361 | | #48 Chain .500" Pitch x 38 Links | 138 | 682-7506 | | Chain Cover Ass'y. |
| 49 | 720-0241 | | Hand Knob | 140 | 710-0599 | | Hex TT-Tap Scr. 1/4-20 x .50" |
| 50 | 712-0291 | | Hex L-Nut 1/4-20 Thd. | 147 | 738-0864 | | Rear Shaft Ass'y. 21.44" Lg. |
| 51 | 731-1483 | N | Rear Flap 4.8" x 17.5" Lg. | 148 | 741-0324 | | Hex Flange Brg. .506" I.D. |
| 52 | 726-0240 | | Cable Tie | 149 | 736-0160 | | Fl-Wash. .531" I.D. x .930" |
| 53 | 710-1237 | | Hex Wash. Hd. Scr. #10-32 x .62" Lg. | 152 | 710-0751 | | Hex Bolt 1/4-20 x .62" Lg. (Gr. 5) |
| 54 | 751B213146 | | Casing Clamp | 153 | 717-0417B | | Transmission Comp. (See Breakdown) |
| 55 | 753-0519 | | Blade Adapter Kit | 154 | 16500A | | Hex Bearing Cup |
| 6 | 742-0721 | | 21" Mulching Blade | 155 | 736-0300 | | Fl-Wash. .385" I.D. x .87" O.D. |

**Optional Parts

*For faster service obtain standard nuts, bolts and washers locally.
If these items cannot be obtained locally, order by part number and size as shown on parts list.

Model 147





Model 147

PARTS LIST FOR MODEL 147 ROTARY MOWER

| REF. NO. | PART NO. | CODE | DESCRIPTION | REF. NO. | PART NO. | CODE | DESCRIPTION |
|----------|------------|------|--|----------|-----------|------|---|
| 1 | 720-0226 | N | Grip | 61 | 748-0190 | | Spacer .513" I.D. |
| 2 | 747-0824 | | Control Handle | 62 | 782-7563 | | Bracket—Shift Plate |
| 3 | 710-1205 | | Rope Guide | 63 | 736-0451 | | Saddle Washer .32" I.D. |
| 4 | 720-0279 | | Handle Knob 1/4-20 Thd. | 64 | 682-3006A | | R.H. Handle Wheel Brkt. Ass'y. |
| 6 | 747-0855 | | Belt Guard | 65 | 682-3007A | | L.H. Handle Wheel Brkt. Ass'y. |
| 7 | 736-0329 | | L-Wash. 1/4" I.D.* | 66 | 710-0260 | | Carriage Bolt 5/16-18 x .62** |
| 8 | 712-0287 | | Hex Nut 1/4-20 Thd.* | 67 | 710-0603 | | Hex B-Tap Scr. 5/16-18 |
| 10 | 782-7007 | | Grass Catcher Bracket | 68 | 710-0654A | | Hex TT-Tap Scr. 3/8-16 |
| 11 | 731-0981A | | Hub Cap | 69 | 712-0267 | | Hex Nut 5/16-18 Thd.* |
| 12 | 710-0605 | | Oval C-Sunk Mach. Scr. | 70 | 720-0230 | | Grip |
| 13 | 746-0875 | | Throttle Body | 71 | 732-0725 | | Height Adj. Lever |
| 14 | 749-0538C | | Upper Handle | 72 | 738-0138 | | Shld. Bolt .437" Dia. |
| 16 | 731-1407 | | Side Chute Deflector | 73 | 736-0242 | | Bell-Wash. 5/16" I.D. |
| 17 | 731-1404 | | Mulch Plug | 74 | 750-0736 | | Spacer .383" I.D. |
| 18 | 714-0104 | | Internal Cotter Pin 5/16" Dia. | 75 | 750-0624 | | Shld. Spacer .5" Dia. |
| 20 | 747-0710 | | Hinge Pin | 76 | 736-0289 | | Shld. Spacer .5" Dia. x .134" |
| 21 | 782-7006 | | Plug Adapter | 77 | 712-0291 | | Hex L-Nut 1/4-20 Thd. |
| 22 | 732-0731 | | Torsion Spring | 78 | 712-0158 | | Hex L-Nut 5/16-18 Thd. |
| 23 | 682-7000 | | Mulch Plug Ass'y. Comp. (Incl. Ref. 17, 20, 21, 22) | 79 | 710-0653 | | Hex Wash. Hd. Tap Scr. 1/4-20 x .38" Lg. |
| 24 | 736-0270 | | Bell-Wash. .265" I.D. x .75" O.D. | 80 | 738-0137 | | Shld. Scr. .342" Dia. x .268 |
| 25 | 710-0167 | | Carriage Bolt 1/4-20 x .5" Lg. | 81 | 748-0188B | | Pawl |
| 27 | 16855 | | Pawl Plate | 82 | 734-1510B | | Wheel Ass'y. Comp.—Rear |
| 28 | 782-7009 | | Chute Stop Bracket | 84 | 741-0486B | | Sleeve Bearing 1/2" I.D. |
| 29 | 712-0324 | | Hex L-Nut 1/4-20 Thd. | 86 | 712-0414 | | Weld Top L-Nut 1/4-20 Thd. |
| 30 | 714-0507 | | Cotter Pin 3/32" Dia. x .75" | 95 | 746-0911 | | S.P. Cable |
| 31 | 736-0278 | | FI-Wash. .328" I.D. x .68" | 96 | 754-0343 | | "V"-Belt |
| 32 | 735-0639 | | Spark Plug Insulator | 98 | 711-0313 | | Sleeve .526" I.D. |
| 33 | 682-7511 | | Lower Pulley Half Ass'y. | 99 | 710-1055 | | Hex Bolt 3/8-24 x 1.0" Lg. |
| 34 | 747-0883 | | Shift Rod | 100 | 712-0241 | | Hex Nut 3/8-24 Thd. |
| 35 | 749-0928 | | Lower Handle | 101 | 736-0169 | | L-Wash. 3/8" I.D. |
| 36 | 143.434132 | | Engine—Craftsman Model 143.434132 | 102 | 682-0023 | | 21" Deck Ass'y. |
| 37 | 682-7514 | | Housing Ass'y. | 115 | 747-0884 | | Self-Propelled Control Lever |
| 38 | 731-1137 | | Flanged Bushing | 121 | 710-1174 | | Curved Hd. Bolt 5/16-18 x 2" Lg. |
| 40 | 782-7560 | | Shift Adj. Plate | 122 | 711-0805 | | Shld. Pin 1.43" Lg. |
| 41 | 732-0724 | | Shift Lever | 127 | 756-0976 | | Pulley Half—Serrated |
| 42 | 682-7513 | | Chain—Axle Ass'y. | 128 | 712-0711 | | Hex Jam Nut 3/8-24 Thd.* |
| 43 | 710-0352 | | Hex B-Tap Scr. 1/4" x .38" | 129 | 746-0737 | | Control Cable—51" |
| 44 | 736-0270 | | Bell-Wash. 1/4" I.D. | 130 | 748-0318 | | Ratchet Wheel 1.62" O.D. |
| 46 | 720-0190 | | Sping Lever Knob | 131 | 714-0115 | | Cotter Pin 1/8" Dia. x 1" |
| 47 | 712-0296 | | Hex Patch L-Nut 3/8-24 Thd. | 134 | 741-0522 | | Hex Flange Bearing |
| 48 | 713-0361 | | #48 Chain .500" Pitch x 38 Links | 136 | 10622B | | Spring—Nylon |
| 49 | 720-0241 | | Hand Knob | 138 | 682-7506 | | Chain Cover Ass'y. |
| 51 | 731-1483 | | Rear Flap 3.75" x 17.5" Lg. | 140 | 710-0599 | | Hex TT-Tap Scr. 1/4-20 x .50" |
| 52 | 726-0240 | | Cable Tie | 147 | 738-0864 | | Rear Shaft Ass'y. 21.44" Lg. |
| 53 | 782-7559 | | Drive Control Bracket | 148 | 741-0324 | | Hex Flange Brg. .506" I.D. |
| 55 | 753-0519 | | Blade Adapter Kit | 149 | 736-0160 | | FI-Wash. .531" I.D. x .930" |
| 56 | 742-0721 | | 21" Mulching Blade | 152 | 710-0751 | | Hex Bolt 1/4-20 x .62" Lg. (Grade 5) |
| 57 | 732-0719 | | Torsion Spring | 153 | 717-0417B | | Transmission Comp. (See Breakdown) |
| 58 | 736-0453 | | Bell-Wash. .47" I.D. x 1.14" O.D. | 154 | 16500A | | Hex Bearing Cup |
| 60 | 710-0561 | | Hex Bolt 7/16-20 x 2.5" | 155 | 736-0300 | | FI-Wash. .385" I.D. x .87" O.D. |

*For faster service obtain standard nuts, bolts and washers locally.
If these items cannot be obtained locally, order by part number
and size as shown on parts list.

Model 147



PARTS LIST FOR MODEL 147 ROTARY MOWER

| REF. NO. | PART NO. | CODE | DESCRIPTION | REF. NO. | PART NO. | CODE | DESCRIPTION |
|----------|-----------|------|--|----------|-----------|------|---------------------------------|
| 1 | 710-1062 | | Hex Patch Bolt 1/4-20 x 1.25"† | 32 | 738-0607A | | Gear Sprocket Shaft† |
| 2 | 736-0329 | | L-Wash. 1/4" I.D.* | 33 | 736-0722 | | L-Wash. #10 I.D.† |
| 3 | 717-0418A | | Upper Hsg. Half† | 34 | 710-0436 | | Hex B-Tap Scr. #10 x .62"† |
| 4 | 713-0400 | | #48 Sprocket 7 T x 1 1/2" Pitch† | 35 | 736-0410 | | Hex Washer .26" x .88" |
| 5 | 736-0336 | | Fl-Wash. 5/8" I.D. x .030† | 36 | 717-0417B | | Transmission Comp. |
| 6 | 741-0413 | | Hex Flange Brg. .631" I.D.† | 37 | 738-0102 | | Front Axle Bolt |
| 7 | 16500A | | Hex Bearing Cup† | 38 | 734-1512A | | Wheel Ass'y. Comp. 8 x 2" |
| 8 | 736-0314 | | Thrust Wash. .382" I.D. x .70" O.D.† | 39 | 736-0105 | | Bell-Wash. .380" I.D. x .88" |
| 9 | 741-0479 | | Thrust Bearing .375" I.D. x .812" O.D.† | 40 | 710-1241 | | Hex Wash. Hd. Scr. 1/4 x 1" Lg. |
| 11 | 717-1216 | | 11 Tooth Pinion Shaft† | 42 | 741-0492A | | Block Bushing |
| 12 | 748-0208A | | Flange Bearing† | 43 | 17733 | | Axle Ass'y. |
| 13 | 721-0212 | | Oil Seal† | 44 | 782-0516 | | Height Adj. Bracket |
| 15 | 756-0330A | | Fl-Pulley 5.06" O.D. | 45 | 710-0653 | | Hex TT-Tap Scr. 1/4-20 x .38" |
| 16 | 736-0270 | | Bell-Wash. .265" I.D. x .75" | 46 | 720-0190 | | Knob |
| 17 | 712-0351 | | Hex L-Nut 1/4-28 L.H. Thd. | 47 | 732-0639 | | Spring Lever |
| 18 | 738-0440 | | Shld. Spacer .375" Dia. x .170" | 48 | 731-1281 | | Plastic Front End |
| 19 | 736-0344 | | Fl-Wash. .390" I.D. x 1.0" | 49 | 710-0352 | | Hex B-Tap Scr. 1/4" x .38" |
| 20 | 738-0826 | | Shld. Bolt .375" Dia. x .40" | 50 | 782-7558 | | Belt Cover |
| 21 | 656-0008 | N | Fl-Idler Plastic 1.50" Dia. (Incl. Ref. #22) | 51 | 710-0599 | | Hex Wash. Hd. TT-Scr. 1/4-20 |
| 22 | 741-0556 | | Needle Brg. .375" x .51 | 54 | 782-7554 | | Transmission Belt Cover |
| 24 | 17052A | | Idler Brk't. Ass'y. | 56 | 710-1242 | | Torx Truss Hd. Scr. 5/16 x .75" |
| 25 | 712-0138 | | Hex Patch L-Nut 1/4-28 Thd. | 57 | 736-0242 | | Bell-Wash. .345" I.D. x .88" |
| 26 | 732-0357 | | Extension Spring 1.12" Lg. | 58 | 731-0981A | | Hub Cap |
| 27 | 717-0419A | | Lower Hsg. Half† | 59 | 746-0909 | | S.P. Cable |
| 28 | 741-0415 | | Flange Bearing .566 Dia.† | 60 | 736-0222 | | External L-Wash. 1/4" I.D. |
| 29 | 717-0422A | | 33 Tooth Helical Gear† | 63 | 712-0147 | | Speed Nut #10-24 Thd. |
| 30 | 741-0414 | | Flange Bearing .629 Dia.† | 64 | 710-1003 | | Hex Tap Scr. #10-16 x .5" Lg. |
| 31 | 721-0213 | | Oil Seal .625 Dia.† | 65 | 710-0167 | | Carr. Bolt 1/4-20 x .5" Lg. |
| | | | | 66 | 710-0603 | | Hex B-Tap Scr. 5/16-18 x .5" |
| | | | | 67 | 712-3027 | | Hex Flange L-Nut 1/4-20 Thd. |
| | | | | 70 | 736-0329 | | L-Wash. 1/4" I.D.* |

†Part of Transmission Complete, Ref. No. 36.